



MONTOLIT GRABO[®] I

Superior GHERER StoneLux Advanced Repair Technology




CATALOGUE 3.0

TILE TOOLS

STONE & TILE TOOLS + EQUIPMENT



A global leader in the stone and tile industries.



The Diarex Group is a strategic partnership between the leading suppliers of stone and tile tools and equipment from around the globe. Consisting of companies from Australia, Germany, USA, Canada and New Zealand, the Diarex Group works closely together to develop the tools and equipment that will drive the stone and tile working industries. With each company renowned in their respective industries, the Diarex Group aims to provide high quality products that redefine the stone and tile industries globally.

CDK Stone is proud to be associated with the Diarex Group and to be supplying these high quality tools to the Australian market. Through this strategic partnership, CDK Stone is able to offer an exclusive range of premium diamond blades, grinding tools, polishing tools, handling equipment and more. CDK Stone is the industry leader for high quality, reliable stone and tile tools in Australia and New Zealand.

POLISHING PADS & GRIDING DISCS

DIAFLEX ICE NINJA HAND PAD POLISHING PAD FLAP DISCS GRANITE MARBLE QUARTZITE ENGINEERED NEW GEN ENGINEERED PORCELAIN CERAMIC CONCRETE GLASS STONEWARE


Blade material usage key:

Please note all recommendations are a guide only. Performance will vary depending on material. Always perform a test if unsure

SAFETY INFORMATION & TIPS

- Always use safety guards, safety gloves, ear protection and safety glasses.
- Always secure the material being processed with clamps.
- Inspect the polishing pad/discs for damage before every use.
- Always use with a central water feed or a water swivel and do not overheat. • Incorrect use may cause polishing pad/discs to fracture.
- Please refer to the usage chart for the correct tool for the material being processed.
- Some polishing pad/discs may require wearing in before performing at their optimum ability
- Only process the material for which the polishing pad/discs is intended for. Refer to usage chart for material suitability.
- Don't drag the machine by its electrical cord with a polishing pad/disc installed. • If you are unsure about the safety of a diamond polishing pad/disc, replace the polishing pad/disc with a new one.

POLISHING & GRINDING USAGE CHART



Not Recommended Suitable Works Well Works Very Well

- Be sure electrical cord is unplugged or the battery is removed during polishing pad/discs installation or removal.

DIAMOND POLISHING AND GRINDING

DIAREX DIAFLEX HAND PAD 90x55MM

For wet hand use on Granite, Marble, Engineered Stone, Glass, Ceramics and Porcelain

GRADE COLOUR CODE 60 Metal Green DFHP90M0060 120 Metal DFHP90M0120 Black DFHP90M0200 200 Metal Red 400 Metal Yellow DFHP90M0400 800 Metal Silver DFHP90M0800 1800 Metal Blue DFHP90M1800 800 Resin White DFHP90R0800 Blue DFHP90R1800 1800 Resin 3000 Resin Orange DFHP90R3000

CODF

DI.4V.0050

DI.4V.0100

DI.4V.0200

DI.4V.0400

DI.4V.0800

DI.4V.1500

DI.4V.3000

COLOUR

Brown

Orange

Yellow

Green

Purple

Blue

Red



DIAREX **ICE POLISHING DISC 100MM**

Excellent value for money, Diarex Ice white resin diamond polishing tools. Suitable for polishing Marble, Granite, Engineered Stone, Glass, Ceramics and Porcelain. These high quality tools are designed for use with water to achieve a high gloss finish.

DIAREX NINJA DIAMOND FLAP DISCS

For shaping, grinding and beveling edges on Natural Stone, Engineered Stone, Porcelain & Sintered Stone. These premium quality discs allow for fast grinding and heavy stock removal. M14 fitting.

GRIT	SIZE	CODE
60	115mm	DFD115X22P50M060
120	115mm	DFD115X22P50M120
200	115mm	DFD115X22P50M200
400	115mm	DFD115X22P50M400



ADI **ULTRA COMPACT SURFACES GRINDING CUP 115MM**

Designed for use with Ultra Compact Surfaces & Sintered Stone, this grinding cup ensures exceptional performance. The diamonds are precisely embedded to maintain uniform height across all tips, effectively preventing material chipping. This innovative design results in good performance on hard Ceramic materials, Ultra Compact Surfaces, Sintered Stone & Porcelain. M14 fitting.

DIAREX WHITE POLISHING PAD 100MM

Diarex White polishing pads are made with the highest quality materials for achieving a fast and high quality finish on Engineered Stone surfaces. With a non-marking resin designed for wet use only, these polishing pads are perfect for achieving outstanding results.

GRADE	COLOUR	CODE
50	Green	DW.4V.0050
100	White	DW.4V.0100
200	Yellow	DW.4V.0200
400	Blue	DW.4V.0400
800	Orange	DW.4V.0800
1500	Dark Green	DW.4V.1500
3000	Red	DW.4V.3000



DIAREX WHITE POLISHING PAD

125MM

Diarex White polishing pads are made with the highest quality materials for achieving a fast and high quality finish on Engineered Stone surfaces. With a non-marking resin designed for wet use only, these polishing pads are perfect for achieving outstanding results.

GRADE	COLOUR	CODE
50	Light Green	DW.5V.0050
100	White	DW.5V.0100
200	Yellow	DW.5V.0200
400	Blue	DW.5V.0400
800	Orange	DW.5V.0800
1000	White	DW.5V.1000
1500	Green	DW.5V.1500
3000	Red	DW.5V.3000
BUFF	Black	DW.5V.BUFF

DIAREX XPRESS POLISHING DISC 100MM

3 Step Polishing for wet use on Marble,

Granite and Engineered Stone.

POSITION COLOUR Red 1 2 Blue 3 Orang

DIAREX SET OF 3 XPRESS PADS

3 Step Polishing for wet use on Marble, Granite and Engineered Stone.

POSITION 1, 2, and 3

SAIT SANDING DISC 125MM

Silicon carbide sanding discs for use on Marble & Granite.

GRIT
60
120
220
320
400
600
800

03 DIAREX

CODE

DCW4UCS1A

GRADE

50

100

200

400

800

1500

3000

DIAMOND POLISHING AND GRINDING



R	CODE
	DX.4V.1
	DX.4V.2
je	DX.4V.3



CODE	
DX.4V.SET	



CODE
SD125V060
SD125V120
SD125V220
SD125V320
SD125V400
SD125V600
SD125V800





POLISHING PAD BACKING PADS



POLISHING PAD BACKING PADS

DIAREX **RIGID RUBBER QRS BACKING PAD**


Low flexibility rubber backer. Made from

SIZE	THREAD	CODE
75mm	M14	VCOUP07A
100mm	M14	VCOUP10A
130mm	M14	VCOUP13A



high quality rubber with hook and loop Velcro. Central hole for wet polishing.

DIAREX	
	00
RIGID ALUMINIUM Q	IK2
BACKING PAD	





Rigid Aluminium for a more precise, efficient and durable polishing process. With hook and loop Velcro. Central hole for wet polishing.

DIAREX SUPER FLEXIBLE RUBBER QRS **BACKING PAD**

Super flexibility rubber backer. For curved or irregular shapes and/or soft delicate surfaces. Made from high quality rubber with hook and loop Velcro. Central hole for wet polishing.

DIAREX SEMI-RIGID PLASTIC QRS **BACKING PAD WITH 10MM** FOAM CUSHION

10mm foam cushion allows for use on irregular surfaces, soft and delicate surfaces. Great for final polishing without swirl marks or imperfections. Central hole for wet polishing

SIZE	THREAD	CODE
100mm	M14	VCOUP10ASR
125mm	M14	VCOUP12ASR



SMALL BLADES COBRA ED EDGE * EMS GRANITE MARBLE QUARTZITE ENGINEERED PORCELAIN CERAMIC CONCRETE GLASS STONEWARE

Blade material usage key:

Not Recommended Suitable Works Well Works Very Well

Please note all recommendations are a guide only. Performance will vary depending on material. Always perform a test if unsure

SAFETY INFORMATION & TIPS

• Always use safety guards, safety gloves, ear protection and safety glasses. • Always secure the material being cut with clamps.

• Only use blades for straight cuts.

• Do not use blades for circular/curved cuts and grinding, this will damage the blade.

• Blades with a diameter of 125mm or less can cut material with a maximum thickness of 15mm. • For blades with a diameter of 180mm or more, the maximum thickness the blade can cut will be determined by the machine's

capabilities. Please refer to your machine's manual/usage guide to determine the maximum thickness the machine can process.

- Inspect the blade for damage before every use.
- Do not overheat the blade.
- Incorrect use may cause blades to fracture or warp.
- Please refer to the usage chart for the correct blade for the material being cut.
- Ensure the blade reducer ring is flush in the blade and the machine is clear of debris.
- Be sure electrical cord is unplugged or the battery is removed during blade installation or removal • The blade should be mounted with the arrows pointing in the direction of rotation.
- Some blades may require wearing in before performing at their optimum ability.
- Make sure the bore of the saw blade correctly matched the diameter of the blade mount
- Only cut the material for which the blade is intended for. Refer to usage chart for material suitability.
- Don't drag the machine by its electrical cord with a blade installed.
- If you are unsure about the safety of a diamond blade, replace the blade with a new one

THREAD SIZE

CODE 100mm M14 130mm M14

VCOUP10AF VCOUP13AF

SMALL BLADE USAGE CHART



• Always use with a central water feed, a water swivel, an on-tool continuous water flow system or an effective on tool extraction system.



SIZE

(MM)

105

115

125

SIZE

(MM)

125

SIZE

(MM)

125

BORE

(MM)

22.2



DIAREX STINGER ULTRA THIN TURBO

SIZE (MM)	BORE (MM)
105	22.2
125	22.2

BORF

The Stinger blade is a versatile blade suitable for cutting a wide range of materials including Granite, Marble, Quartzite, Engineered Stone, Porcelain, Ceramic and Concrete. Its high diamond concentration ensures fast, efficient cutting, while its cooling holes prevent overheating and prolong blade l Includes a 15.85mm reducer.

DIAREX **III TRA THIN TIIRBO**

(MM) (MM) 105 22.2 115 22.2 125 22.2 hin design 180 30 200 30 long-lasting performance. Includes a

DIARFX VANITY

SIZE	BORE
(MM)	(MM)
125	22.2

The Vanity blade is a high quality blade designed specifically for cutting Marble and other soft materials. Its narrow cutting width and high diamond concentration ensure a clean, precise cut every time. Includes a flange attached that is an M14 fitting for use in tight areas.

The Viper blade is a versatile blade

suitable for cutting a wide range of

materials including Granite, Marble,

Quartzite, Engineered Stone, Porcelain,

diamond coating ensures a clean, precise

Ceramic. Concrete and even Glass. Its

cut, while its cooling holes prevent overheating and prolong blade life. With an additional diamond coating on the

blade's side, the Viper is also ideal for

trimming and shaping projects. Includes a

DIARFX **VIPER ULTRA THIN**

15.85mm reducer.

SIZE (MM)	BORE (MM)
100	22.2
125	22.2

COBRA ULTRA THIN TURBO A versatile blade suitable for cutting a wide range of materials including

DIAREX

SMALL BLADES

Granite, Marble, Quartzite, Engineered Stone, Porcelain, Ceramic and Concrete. With excellent performance on hard materials, this blade is also a great choice for cutting stoneware. Includes a 15.85mm reducer.



CODE

DBR125DED



DIAREX ED ELECTROPLATED

The ED blade is a great all-around blade that performs well on Marble, Porcelain and Ceramics. Its diamond coating ensures a clean, precise cut every time. Includes a 15.85mm reducer.

DIAREX EDGE SPECIALISED TURBO


The Diarex Edge Specialised Turbo Blade is a premium quality blade for cutting and mitring of hard and thick porcelain, granite, marble, sintered stone and ceramic tiles. With a maximum cutting depth of 25mm, the Diarex Edge blade offers produces exceptional results across the hardest of materials. Includes a 15.85mm reducer.

DIAREX **EMS SEGMENTED**

A specialized blade designed for cutting softer materials such as Marble and Ceramic. Its high speed cutting action and efficient design make it a great choice for projects where speed and precision are key. Includes a 15.85mm reducer.

DIARFX **EXCEL TURBO**

The Excel blade is a high performance blade that excels at cutting hard materials such as Granite and Engineered Stone. Its narrow cutting width and high diamond concentration ensure a clean, precise cut every time.



2.2	DBT125EDGE



SIZE (MM)	BORE (MM)	CODE
105	22.2	DB105EMS
125	22.2	DB125EMS



BORE CODE (MM) 22.2 DBT125DXL



life.		
	SIZE	

The Ultra-Thin blade is a specialized
blade designed for cutting Porcelain
and Ceramic tiles. Its ultra-thin desig
ensures minimal chipping, while its
high diamond concentration ensures

22.2/15.85mm or 30/25mm reducer.









DBV125DED	

CODE

DBT105UT
DBT115UT
DBT125UT
DBT180UT
DBT200UT



CODE
DBT105UT
DBT115UT
DBT125UT
DBT180UT





DBT105US

DBT125US

CODE



SMALL **BLADES**

HIMHAI

HIGH QUALITY, RELIABLE WET GRINDER

GALESKI **ECOMAX VARIO**

THE GALESKI ECOMAX VARIO IS A LIGHT AND COMPACT WET GRINDER. THIS ONE HANDED CUT-OFF SAW IS PERFECT FOR WET **PROCESSING NATURAL STONE, ENGINEERED** STONE, TILES, PAVERS, PORCELAIN OR CERAMICS, DÉPENDING ON THE BLADE.

FEATURING A CONTINUOUS WATER FEED AND SPLASH GUARD, THE ECOMAX VARIO **IS A VARIABLE SPEED GRINDER WITH** ADJUSTABLE SPEED DIAL.

THE GALESKI ECOMAX VARIO IS MADE FROM HIGH QUALITY MATERIALS AND FEATURES A **ERGONOMIC DESIGN. THE GRINDER'S BLADE GUARD CAN BE EASILY REMOVED FOR QUICK** ACCESS TO THE SPINDLE.

THE 125MM VERSION OF THE ECOMAX VARIO NOW FEATURES A BRUSHLESS MOTOR FOR INCREASED PRODUCTIVITY.

THE GALESKI WET GRINDER IS THE ULTIMATE ON-SITE GRINDER FOR WET PROCESSING.




MAX CUTTING Depth		SPINDLE Speed	SPINDLE Thread	CODE
25mm	125mm	1900- 9500rpm	22.2mm, M14	ECOMAX125VARIOBL
58mm	180mm	1700- 6800rpm	22.2mm, M14	ECOMAX180VARIO
63mm	230mm	6600rpm	22.2mm, M14	ECOMAX230VARIO

GALESKI ECOMAX VARIO FEATURES



CONTINUOUS ON-TOOL WATER FEED THAT IS ADJUSTABLE



SPLASH GUARD TO PROTECT **MACHINE FROM WATER & SLURRY**



VARIABLE SPEED DIAL TO ADJUST RPM SPEED OF SPINDLE

LARGE BLADES

	BLACK LABEL	C5	S
	Branch Server S		
GRANITE			L
MARBLE			L
QUARTZITE			
ENGINEERED			
PORCELAIN			
CERAMIC			
CONCRETE			L
GLASS			L
STONEWARE			L
ane kev:			

Blade material usage key:




Please note all recommendations are a guide only. Performance will vary depending on material. Always perform a test if unsure

SAFETY INFORMATION & TIPS

- Always use safety guards, safety gloves, ear protection and safety glasses. • Always secure the material being cut with clamps.
- Only use blades for straight cuts.
- Do not use blades for circular/curved cuts and grinding, this will damage the blade. • Blades with a diameter of 125mm or less can cut material with a maximum thickness of 15mm.
- For blades with a diameter of 180mm or more, the maximum thickness the blade can cut will be determined by the machine's capabilities. Please refer to your machine's manual/usage guide to determine the maximum thickness the machine can process.
- Inspect the blade for damage before every use.
- Always use with a central water feed, a water swivel, an on-tool continuous water flow system or an effective on tool extraction system. • Do not overheat the blade.
- Incorrect use may cause blades to fracture or warp.
- Please refer to the usage chart for the correct blade for the material being cut. • Ensure the blade reducer ring is flush in the blade and the machine is clear of debris.
- Be sure electrical cord is unplugged or the battery is removed during blade installation or removal.
- The blade should be mounted with the arrows pointing in the direction of rotation.
- Some blades may require wearing in before performing at their optimum ability.
- Make sure the bore of the saw blade correctly matched the diameter of the blade mount • Only cut the material for which the blade is intended for. Refer to usage chart for material suitability.
- Don't drag the machine by its electrical cord with a blade installed.
- If you are unsure about the safety of a diamond blade, replace the blade with a new one.

LARGE BLADES **USAGE CHART**





FEED SPEED MITRE

Manual

DAREX®

DIAREX **TGB GRANITE**

OPERATING PARAMETERS DEPTH OF CUT DIAME Up to 250n 20mm 300m 350n

Premium quality blade for wet cutting Grantite and hard stone. Suitable for high peripheral speed portable site saws. 12mm segment height.



30 OPERATING PARAMETER DEPTH OF CUT DIAME

blade designed for cutting Porcelain and Ceramic tiles. Its ultra-thin design ensures minimal chipping, while its high diamond concentration ensures long-lasting





SIZE	BORE (MM)	CODE
230mm	30	DBT230UT
250mm	30	DBT250UT
300mm	30	DBT300UT
350mm	30	DBT350UT



Diarex is committed to ensuring our industry stays safe. As part of our ongoing efforts to educate and inform the industry, we are encouraging our customers to stay up to date with the latest Safety Data Sheet (SDS) for each product they use.

All the Safety Data Sheets for products supplied by Diarex can be found at: www.diarex.com.au/sds

250mm 300mm 350mm

performance. Includes a 25mm or reducer.

SIZE

DIAREX **ULTRA TURBO ULTRA THIN**

The Ultra Thin blade is a specialized

Manual

FEED SPEED MITRE

OPERATING PARAMETERS

OPERATING PARAMETERS

DIAMETER

230mm

250mm

300mm

350mm

30

30

50.15

50.15

DIAMETER

300mm

350mm

60

60

BORF (MM)

BORE (MM)

RPM

1850 - 2800

1850 - 2800

1850 - 2800

1850 - 2800

DBR230BLC

DBR250BLC

DBR300BLC

DBR350BLC

CODE

RPM

1850 - 2800

1850 - 2800

CODF

DB300C5

DB350C5

FEED SPEED

Manual

FEED SPEED

Manual

DEPTH OF CUT

Up to

20mm

SIZE

230mm

250mm

300mm

350mm

DEPTH OF CUT

Up to

SIZE

300mm

350mm

20mm

OPERATING PARAMETERS

DEPTH OF CUT	DIAMETER	RPM	FEED SPEED	FEED SPEED MITRE
Up to	300mm	1850 - 2800	Manual	Manual
20mm	350mm	1850 - 2800		

SIZE	BORE (MM)	CODE
300mm	60	DB300M5
350mm	60	DB350M5

	OPERATING PAR	AMETERS			
	DEPTH OF CUT	DIAMETER	RPM	FEED SPEED	FEED SPEED MITRE
	Up to	250mm	1850 - 2800	Manual	Manual
es.	20mm	300mm	1850 - 2800		
s.		350mm	1850 - 2800		

SIZE	BORE (MM)	CODE
250mm	30	DB250SW
300mm	30	DB300SW
350mm	30	DB350SW

DIAREX

LARGE

BLADES

BLACK LABEL BLADE The Diarex Black Label Blade is a

continuous rim, premium quality blade for fast, clean cutting of Porcelain and Ceramic tiles. Includes a 30/22.2mm or 50.15/30mm reducer.




DIAREX LUNA C5 PORCELAIN

Special quality blade for wet-cutting Porcelain and Ceramics also suitable for mitering Natural and Engineered Stone.



DIAREX Μ5

The Diarex M5 Blade is a premium quality blade for wet-cutting of Marble, soft stones and delicate material. The Diarex M5 Blade produces clean and sharp edges and almost no chipping.



DIAREX **STONEWARE BLADE**

The Diarex Stoneware Blade is the ultimate blade for cutting Stoneware tiles and thick Porcelain on portable wet saws



LARGE BLADES

LARGE BLADES

RS			
ETER	RPM	FEED SPEED	FEED SPEED MITRE
mm	1850 - 2800	Manual	Manual
mm	1850 - 2800		
mm	1850 - 2800		

BORE (MM)	CODE
30	DB250TGB
30	DB300TGB
30	DB350TGB

RS			
ETER	RPM	FEED SPEED	FEED SPEED MITRE
mm	1850 - 2800	Manual	Manual
mm	1850 - 2800		
mm	1850 - 2800		
mm	1850 - 2800		



View all SDS's at diarex.com.au/sds

MANTA

PREMIUM QUALITY PORTABLE WET SAW

MANTA ALUMINIUM PORTABLE SAW

THE MANTA TABLE SAW IS PERFECT FOR WET PROCESSING NATURAL STONE, ENGINEERED STONE, TILES, PAVERS, PORCELAIN OR CERAMICS, DEPENDING ON THE BLADE.

FEATURING AN INTEGRATED WATER TANK WITH RECIRCULATING PUMP SYSTEM, THIS SAW HAS A 45-DEGREE BRIDGE TILT THAT IS IDEAL FOR MITRED EDGES.

THE MANTA PORTABLE SAW IS MADE FROM HIGH QUALITY MATERIALS AND FEATURES A ROBUST DESIGN. THE SAW'S LEGS CAN FOLD DOWN FOR EASY TRANSPORT IN A TRUCK, UTE OR VAN.

AN OPTIONAL EXTENSION PLATE AND SIDE EXTENSION ROLLERS ARE ALSO AVAILABLE FOR THE MANTA PORTABLE SAW.

THE MANTA PORTABLE SAW IS THE ULTIMATE ON-SITE SAW FOR WET PROCESSING.


MAX DISC DIAMETER	MAX CUTTING Thickness	SPINDLE Speed	MOTOR	Cl Le
350mm	110mm	2800rpm	2.2kw 230V	1(
350mm	110mm	2800rnm	2 2 kw	11

100

MANTA PORTABLE SAW FEATURES



45 DEGREE TILT FOR MITRED AND ANGLED CUTS



STAINLESS STEEL WATER TANK & RECIRCULATING PUMP SYSTEM



200mm

230V

MANTA100A

MANTA120A

FOLDABLE LEGS WITH WHEELS FOR EASY TRANSPORTATION



DIAREX VDU CORE DRIL

VDU CORE DRILLS

Premium quality long life drill bit
for Porcelain, Ceramic, Marble and
Limestone. M14 fitting.

SIZE	CODE
6mm	DCD006V
8mm	DCD008V
10mm	DCD010V
12mm	DCD012V
16mm	DCD016V
20mm	DCD020V
25mm	DCD025V
30mm	DCD030V
32mm	DCD032V
35mm	DCD035V
38mm	DCD038V

DIAREX VDU ROUTER BITS

SIZE	CODE
10mm	DRB10A
20mm	DRB20A

Premium quality long life router bit for milling Porcelain, Ceramic, Marble and Limestone. M14 fitting.

DIAREX VDU CORE DRILLS KIT

CODE DCDKITVDU

Premium quality long life drill bits for Porcelin, Ceramic, Marble and Limestone. M14 fitting. The kit includes 6, 8, 12, 20, 38 & 50mm core drills, 10mm and 20mm router bits and M14 to shank adaptor.

DIAREX Chamfer Kit

CODE

Vacuum brazed diamond chamfering bit Conic chambering wheel. Bevel Ease chamfers and stress relieves for holes in Glass, Ceramic and Porcelain tiles. The kit includes 5-12mm, 5-35mm and 35-75mm chamfering bits.

DIAREX GRINDER THREAD ADAPTOR PACK

THREAD CODE

The Diarex Grinder Thread Apaptor Pack allows you fit any M14 diamond tool to an M10 grinder. M10 to M14 thread. Includes one M10 with 1.25mm pitch and one M10 with 1.5mm pitch.

DIAREX DRILL SHANK ADAPTER

HREAD	CODE
414	TAM14MSS

With the Diarex Drill Shank Adapter, you can fit any M14 diamond tool to a drill. 9mm Hex Shank to M14 thread.

MANUAL GRINDING AND DRILLING

	SIZE	CODE
/DU	40mm	DCD040VDU
/DU	45mm	DCD045VDU
/DU	50mm	DCD050VDU
/DU	55mm	DCD055VDU
/DU	60mm	DCD060VDU
/DU	70mm	DCD070VDU
/DU	80mm	DCD080VDU
/DU	90mm	DCD090VDU
/DU	100mm	DCD100VDU
/DU	110mm	DCD110VDU
/DU		















MANUAL GRINDING AND DRILLING



CUTTING & GRINDING SAFETY EQUIPMENT


HERZO

SIZE VACUUM CUTTING SHROUD 125mm

CODE

CODE

5ULEVG





HERZO VACUUM GRINDING SHROUD

125mm Angle Grinder dust shroud for

no-dust environment. Universal kit for

cutting designed to give workers a

nearly all brand angle grinders.

125mm Angle Grinder dust shroud for grinding designed to give workers a no-dust environment. Universal kit for nearly all brand angle grinders.

SIZE

SIZE

125mm

ALPHA WATERPROOF APRON **SLEEVELESS**

Premium quality waterproof stonemasons apron in hi-vis yellow. Protects from water, dust & chemicals. Dual adjustable clips for a perfect fit. Sleeveless with wide straps for comfort.

ALPHA WATERPROOF APRON LONG **SLEEVE**

Premium quality waterproof stonemasons apron in hi-vis yellow. Protects from water, dust & chemicals. Dual adjustable clips for a perfect fit. Long-sleeved with rubber cuffs.





SIZE CODE Large SE.APRON2LSR Small SE.APRON2LSS



TUSCAN LEVELING SYSTEM

TUSCAN LEVELLING SYSTEM

Straps are made from a propriety blend nylon which allows elasticity to provide a better finish 1mm thickness allows thinner grout line.

- Perforated to break in the right place every time.
- Flat base straps require less glue and provide
- greater adhesion. • Caps designed for durability and longer life (can be used dozens of times).
- Special locking system with hand-sharpened stainless steel tongue prevents any slippage.
- The system is easy to learn and use, at any skill level.
- Makes installation twice as fast, and more profitable.
- Reduces installer fatigue and stress.
- Drastically reduces the need for grinding.
- For use with tiles 300mm or larger.

PRODUCT	PIECES PER BOX	CODE
Сар	250	TLSC0250
Strap	200	TLSS0200
Strap	1000	TLSS1000
Ungauged Strap	1000	TLSU1000
Ergonomic setting tool	1	TLSSTEP



TUSCAN SEAM CLIP

The Tuscan SeamClip™ is the world's first one-piece joint levelling system.

Tuscan SeamClip will greatly assist in the installation of Porcelain, Stone, Ceramic, Marble, Granite and large format tiles from 3mm to 13mm in thickness.

Tuscan SeamClip™ | WHITE For use on calibrated large format thin ceramic tiles. 3mm - 6.5mm thickness. Produces a 0.5mm grout.

Tuscan SeamClip™ | BLUE For use on calibrated large format thin ceramic tiles. 6.5mm - 9.5mm thickness. Produces a 0.5mm grout.

Tuscan SeamClip™ | RED For use on calibrated floor and wall tiles. 9.5mm - 13mm thickness. Produces a 0.5mm grout.

Tuscan SeamClip™ | ORANGE For use on calibrated floor and wall tiles. 9.5mm - 13mm thickness. Produces a 1.59mm grout.

COLOUR	PIECES PER BOX	CODE
Blue	150	TSCB0150
Blue	500	TSCB0500
Orange	150	TSC00150
Orange	500	TSC00500
Red	150	TSCR0150
Red	500	TSCR0500
White	150	TSCW0150



LEVELING **SYSTEMS**








Position strap and cap

Lav the tile




Attach setting tool









Remove strap and cap







MONTOLIT

TILING Tools

MONTOLIT Masterpiuma P5 tile cutter

TILING TOOLS

This range of super-professional manual tile cutter can cut all types of tile, with thickness of 0-22 mm, quickly and accurately. Thanks to the oversized goniometric square that can rotate both to the right & left 45 degrees, even diagonal cutting is safe and simple.

SIZE	CODE	CONSUMABLES	CODE	
63cm	63P5	Replacement	M0N245	
75cm	75P5	Wheel		1
93cm	93P5	Replacement	MON245T	
131cm	131P5	Titanium Wheel		.
161cm	161P5	Oil Dispenser 5 Pack	515-5	

CODE

33W

CODE

FL3

CODE

CODE

CODE

300-20

MFL2-PU

MONTOLIT CRAB NIBBLER 33W

For making classic and artistic mosaics, small finishing touches, angles, special shapes and breaking tiles into small pieces.

MONTOLIT Flash line 3 cutting system

"No Limits" extendable system with rails. Features a patented non-slip system without suction cups. Also features a quick elastic connection and a 3WD rotation – Titanium wheels selection system.

MONTOLIT MOTO FLASH LINE 2 CUTTING SYSTEM

Motorized cutting system that works with the Flash Line cutting system. Features on tool dust extraction.

MONTOLIT SUPERLIFT



A multipurpose frame for handling large format slabs and tiles. The Superlift is made from high quality materials and features four vacuum pods that can reconfigured to suit the material size.



MONTOLIT WORK TABLE

A multipurpose, modular work table for large format tiles and slabs. The table is fully adjustable table that can be disassembled for easy transport. 1150mm x 1800mm with a max load of 180kg.



Rapid Rapid High Speed Seaming Adhesive



Surface Bonder Rapid is developed to cure in half the time of similar products to get you on to the next job quickly.

- ✓ Fast 4−8 minute working time
- 25 standard colors
- Non-sagging, mess free formula
- High-strength bonding
- Developed for Quartz, Natural Stone and Sintered Materials
- Styrene-free





Integr<u>a</u> Adhesjves

6

Integra Adhes ves

COLOUR CHART

Integra Adhes ves

INTEGRA SURFACE BONDER RAPID

SIZE COLOU 250ml vario pre-c

Integra Adhesive's Surface Bonder Rapid is a fast, high strength, no sag adhesive that has been developed to improve production output for high volume fabrication.

INTEGRA SURFACE BONDER ZERO

SIZE	COLOU
250ml	vario
	pre-c

Perfect for stone fabrication. Surface Bonder Zero is a non sagging adhesive specifically designed for Quartz and Natural Stone products. Its non-sag properties make it ideal for mitered edges, the adhesive stays right where you put it. Surface Bonder Zero is also great for vertical applications making it an ideal adhesive for deck seam installations in the field. No drips, no mess.

INTEGRA SURFACE BONDER ULTRA

SIZE COLOU 215ml vario pre-c

Surface Bonder Ultra is a versatile adhesive for Ceramics & Sintered Stone, Natural Stone, Quartz, Glass. UV and weather stable for indoor and outdoor use. Zero yellowing, staining or bleeding.

INTEGRA	
TOPSEAL	

Integra Adhesives TopSeal is a premium performance MS Polymer that can be used as an assembly adhesive and a surface sealant. TopSeal comes in 8 colours, is food safe, and hardens after cure. TopSeal offers eight standard colors, instant grip, high strength, waterproof joint, and flexibility. It can be used to bond and seal worktops, splashbacks, undermount sinks, upstands, and shower panels, with excellent mold resistance and no yellowing or color change over time. Additionally, it bonds to damp surfaces and can be applied indoors and outdoors

SIZE	COLOUR	CODE
290ml	White	IA.TS001
290ml	Dark Grey	IA.TS008
290ml	Black	IA.TS010
290ml	Beige	IA.TS031
290ml	Light Grey	IA.TS047
290ml	Off White	IA.TS082
290ml	Grey White	IA.TS114
290ml	Stainless Steel	IA.TS115

Crystal Clear	Chameleon	Aqueous	Magic	Transparent White	Arctic White	Bright White	Snow White	Glacier White	
White Linen	Pure White	White	Winter White	White Chocolate	Perfect White	Zenith	Polar White	Alabaster	
Nougat	Newport Grey	White North	Cloud	Newgale Grey	Raw Silk	Pearl	Moondust	Silver	
Cinder	Geogris	Stellar Grey	Pewter	Clamshell	Raton	Seashell	Natural Grey	Oyster	
Meteor Grey	Portland	Steel Grey	Quarry	Oscuro	Dorado	Thunder Grey	Iron Grey	Storm Grey	
Graphite	Absolute Grey	Raven	River Rock	Dusk	Nacreto	Flint	Galaxy Black	Onyx	
Transparent Black	Satin Black	Black	Espresso	Mocha	Tiffany Grey	Slate	Medea	Earth	
Uba Tuba	Khaki	Desert	Beige Olimpo	Sandstone	Ginger	Sand	Bone	Antique	
Cygnus Pearl	Marfil	Apricot	Brie	Champagne	Limestone	Beach	Lunar Pearl	Coastal Path	

COLOUR CHART

ADHESIVES

JR	CODE
ous	IA.RA####.250
coloured	





#.250









Superior GOLD is a revolutionary and

unique adhesive perfectly suited for use on

nearly all stone surfaces both indoors and

outdoors. Superior GOLD is very light/white

(pearlescent/translucent) in colour making it ideal for invisible joints, especially on

light/white coloured stones. UV resistant.

Ideal for Natural Stone, Sintered Stone,

Quartz Surface, Solid Surface and more!

Superior PEARL is very light / white

colored stones. Perfect for seaming,

natural and engineered stone.

(pearlescent) in color making it ideal for

invisible joints, especially on light/white

laminating and chip repair on all types of

SUPERIOR

SUPERIOR

PEARL

GOLD

ADHESIVES

νυπεσιλεσ



SUPERIOR

Superior Coloring Paste is technologically advanced. Using unique resin technology, this color paste ensures you get a true color match and longer shelf life. The color you create will be the same after the adhesive has cured. Features a unique resin technology for a true color match, longer shelf life, as well as, available in 10 different colors.

SIZE	COLOUR
60ml	Black
60ml	Blue
60ml	Brown
60ml	Buff
60ml	Grey
60ml	Green
60ml	Ochre
60ml	Red
60ml	Rust
60ml	White

SUPERIOR	
COLOUR PASTE KIT	

SIZE COLOU 60ml asso colou

SUPERIOR

in assorted

SUPERIOR PASTE HARDENERS

30ml 120ml

SIZE

Extra paste hardeners for polyester and acrylic-based adhesive products. Available in 30ml and 120ml tubes, this white paste serves as the catalyst that accelerates the chemical reactions.

COLOUR PASTE

COLOUR PASTE KIT
Superior Coloring Paste kit

colours.

Superior VISCOSITY CHART Superior Gold GV1 is a flowing grade adhesive. The below 3 5 7 scale is used to illustrate the viscosity of this adhesive. Superior Gold GV5, Pearl PV5 & Fusion FV5 are knife 3 5 7 1 grade adhesive. The below scale is used to illustrate the viscosity of this adhesive. THICK KNIFE GRADE

Superior Gold GV9 & Pearl PV9 are thick knife grade adhesive. The below scale is used to illustrate the viscosity of this adhesive.

1 3 **5 7** ğ

SUPERIOR

FLOWING

KNIFE GRADE

mitering, laminating and chip repair. Ideal for Natural Stone, Sintered Stone, Quartz Surface, Solid Surface and more!

VISCOSITY	SIZE	CODE
FV5	1L	SUPFV501
FV5	4L	SUPFV504

VISCOSITY

GV1

GV1

GV1

GV5

GV5

GV5

GV9

GV9

GV9

VISCOSITY

PV5

PV5

PV5

PV9

PV9

V

SIZE

1L

4L

20L

1L

4L

20L

1L

4L

20L

SIZE

1L

4L

20L

1L

20L

CODE

SUPGV101 SUPGV104

SUPGV120

SUPGV501

SUPGV504

SUPGV520

SUPGV901

SUPGV904

SUPGV920

CODE

SUPPV501

SUPPV504

SUPPV520

SUPPV901

SUPPV920



9

9

	-		
GO			

KNIFE GRADE

1

PEARL

PV-5

KNIFE GRADE

BREER BOLLER B

ADHESIVES







UR	CODE
orted	SUPCOLAST60
ours	



CODE
SUPBP0030
SUPBP0120





ADHESIVES

DIAREX SUPERIOR POLYPLUS TRAVERTINE

Diarex Superior PolyPlus combines the

quality and trust of both Diarex and Superior

With fast gel and cure times, Diarex Superior

PolyPlus provides a quality mechanical bond

that is ideal for mitring, laminating, seaming,

natural stones, Diarex Superior PolyPlus is

easy to work with and provides exceptional

results. Diarex Superior PolyPlus can also

be further tinted with Superior's range of

Diarex Superior PolyPlus combines the

rodding and chip repair. Perfect for all

quality and trust of both Diarex and Superior

With fast gel and cure times, Diarex Superior

PolyPlus provides a quality mechanical bond that is ideal for mitring, laminating, seaming,

natural stones, Diarex Superior PolyPlus is

easy to work with and provides exceptional

into the ultimate polyester stone adhesive.

rodding and chip repair. Perfect for all

into the ultimate polyester stone adhesive.

VISCOSITY SIZE Knife 1L Grade

DIAREX SUPERIOR POLYPLUS BLACK

Diarex Superior PolyPlus combines the guality and trust of both Diarex and Superior into the ultimate polyester stone adhesive. With fast gel and cure times, Diarex Superior PolyPlus provides a quality mechanical bond that is ideal for mitring, laminating, seaming, rodding and chip repair. Perfect for all natural stones, Diarex Superior PolyPlus is easy to work with and provides exceptional results. Diarex Superior PolyPlus can also be further tinted with Superior's range of Colour Pastes.

DIAREX SUPERIOR POLYPLUS BUFF

Diarex Superior PolyPlus combines the guality and trust of both Diarex and Superior into the ultimate polyester stone adhesive. With fast gel and cure times, Diarex Superior PolyPlus provides a guality mechanical bond that is ideal for mitring, laminating, seaming, rodding and chip repair. Perfect for all natural stones, Diarex Superior PolyPlus is easy to work with and provides exceptional results. Diarex Superior PolyPlus can also be further tinted with Superior's range of Colour Pastes.

DIAREX SUPERIOR POLYPLUS TRANSPARENT

Diarex Superior PolyPlus combines the quality and trust of both Diarex and Superior into the ultimate polyester stone adhesive. With fast gel and cure times, Diarex Superior PolyPlus provides a quality mechanical bond that is ideal for mitring, laminating, seaming, rodding and chip repair. Perfect for all natural stones, Diarex Superior PolyPlus is easy to work with and provides exceptional results. Diarex Superior PolyPlus can also be further tinted with Superior's range of Colour Pastes.



FLOWING

Superior Gold GV1 is a flowing grade adhesive. The below scale is used to illustrate the viscosity of this adhesive.

KNIFE GRADE

Superior Gold GV5, Pearl PV5 & Fusion FV5 are knife grade adhesive. The below scale is used to illustrate the viscosity of this adhesive.

VISCOSITY SIZE CODE SUP.BKK01 Knife 1L Grade



VISCOSITY SIZE CODE Knife SUP.BFK01 1L Grade



DIAREX

5 3

VISCOSITY

Flowing

Knife

Grade

Knife

Grade

Knife

Grade

SIZE

1L 1L

4L

19L

CODE

SUP.TRF01

SUP.TRK01

SUP.TRK04

SUP.TRK19



Colour Pastes. **DIAREX SUPERIOR** POLYPLUS WATER CLEAR

VISCOSITY	SIZE	CODE
Flowing	1L	SUP.WCF01
Knife	1L	SUP.WCK01
Grade		

results. Diarex Superior PolyPlus can also be further tinted with Superior's range of Colour Pastes. **DIAREX SUPERIOR**

POLYPLUS WHITE

Diarex Superior PolyPlus combines the quality and trust of both Diarex and Superior into the ultimate polyester stone adhesive. With fast gel and cure times, Diarex Superior PolyPlus provides a quality mechanical bond that is ideal for mitring, laminating, seaming, rodding and chip repair. Perfect for all natural stones, Diarex Superior PolyPlus is easy to work with and provides exceptional results. Diarex Superior PolyPlus can also be further tinted with Superior's range of Colour Pastes.

VISCOSITY	SIZE
Flowing	1L
Knife	1L
Grade	
Knife	4L
Grade	
Knife	19L
Grade	

7 9 THIN 1 3 5 7 9

23 DIAREX

ADHESIVES

CODE	
SUP.TVK01	














ADHESIVES



CODF

4-5 min

CODE

4-5 min

CODE

25-30 min

TNXBIA2S1.0

TNXBIA2S17.0

25-30 min

TNXBIANS1.0

TNXBIANS4.0

TNXBIANS17.0

COLOUR

White

White

White

COLOUR

White

White

COLOUR

Gel time (in bulk at 25°)

(in thin layer at 25°)

Ratio of mastic + hardener 100 + 2/3

Gel time (in bulk at 25°)

(in thin layer at 25°)

Ratio of mastic + hardener 100 + 2/3

SIZE

1L

4L

17L

SIZE

1L

17L

SIZE

Tacky free

Tacky free

TENAX SOLID BIANCO

ADHESIVES

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical in a white colour. Excellent adhesion on Marble, Stone and Engineered Stone. Excellent reactivity at low temperatures. Contains very quantities of VOC. Colourable with Tenax Colour Pastes.

TENAX **SOLID BIANCO 2**

Polyester resin adhesive is a pre-coloured white adhesive paste used for glueing and repairing Stone. Extra white. Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical. Excellent adhesion on Marble, Stone and Engineered Stone. Excellent reactivity at low temperatures. Contains low quantities of VOC.

TENAX SOLID NERO

Highly concentrated, black paste wax designed to increase the brilliance of glossy surfaces. Excellent water/oil repellant properties. No yellowing in UV. No surface films. Food safe

TENAX SOLID BEIGE

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical. Excellent adhesion on Marble, Stone and Engineered Stone. Excellent reactivity at low temperatures. Contains low quantities of VOC.

1L	Black	TNXBLKS1.0
Ratio of ma	astic + hardener	100 + 2/3
Gel time (i	n bulk at 25°)	4-5 min
Tacky free (in thin lay	er at 25°)	25-30 min



SIZE	COLOUR	CODE	
1L	Beige	TNXSOLS1.0	
Ratio of ma	astic + hardener	100 + 2/3	
Geltime (i	n bulk at 25°)	4-5 min	
Tacky free		25-30 min	
(in thin lay	ver at 25°)		



	I	N	$\left[\right]^{1}$	\rangle
ΤΕΝΑΥ				

TENAX

COLOUR

SIZE

Tenax Titanium has been developed with the latest Vinyl Ester technology. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all Granite, Marbles, Quartz and Quartzite materials. Titanium is superb on white and light colored marble, Quartz and Quartzite materials. Takes color very well for darker stones.

1	L		Tr	an	s
R	atio o	fma	sti	c +	ł
-		1.			

Rat Tacky free (in thin layer at 25°

TENAX	
UNIVERSAL	COLOURS

Universal colour pastes for polyester resin and epoxy systems.

- Easy to mix
- Universal colouring

COLOUR	SIZE	CODE
Black	75ml	TNXUNIBLA.075
Black	300ml	TNXUNIBLA.300
Blue	75ml	TNXUNIBLU.075
Brown	75ml	TNXUNIBR0.075
Green	75ml	TNXUNIGRE.075
Red	75ml	TNXUNIRED.075
White	75ml	TNXUNIWHI.075
White	300ml	TNXUNIWHI.300
Yellow	75ml	TNXUNIYEL.075

TENAX **UNIVERSAL COLOURS KIT**

COLOUR Assorted

Universal colour pastes for polyester resin and epoxy systems.

- Easy to mix
- Universal colouring
- Available individually or in a set: Black, Brown, White, Yellow, Red and Green

TENAX HARDENER FOR POLYESTER

SIZE	CODE
45g	TNXH
180g	TNXH

Hardener paste to be used together with pre-coloured polyester resin adhesive.

SIZE	CODE
45g	TNXH
180g	TNXH

25 DIAREX

Transp

Gel time (in bulk at

ADHESIVES

	CODE	
parent	TNXTITANS1.0	
ardener	100 + 2/3	
t 25°)	4-6 min	
°)	18-20 min	











ARD.45 IARD.180



CLEANING, PROTECTING AND MAINTENANCE

LITHOFIN WAX-OFF

CLEANING,

PROTECTING

AND MAINTENANCE

Wax and Oil Remover. Product type: solvent based cleaner

Removes layers of wax, silicone, sealants, tar, oil stains, lacquer and glue. Deposits are dissolved and can then be washed off with water.

- Ready-to-use
- Deep acting

LITHOFIN

impregnator

• Leaves no residues

STAINSTOP >W<

SIZE CODE 1L LFWAX0FF01

SIZE

1L

5L

10L

20L (2x 10L)

Approx. 10 to 20

COVERAGE

m²/L

COVERAGE	STORAGE
Approx. 7 to 15	Closed, cool, dry,
m2/L	up to 4 years

CODE

LFSTNSTW01

LFSTNSTW05

LFSTNSTW10

LFSTNSTW20

Closed, cool,

up to 2 years

STORAGE





protects surfaces against the penetration of oil, grease, dirt and water and prevents staining. Facilitates care on all absorbent stain sensitive surfaces.

Water Based Special Impregnator.

Product type: water based protective

This solvent free impregnator effectively

- Invisible, matte
- Effective for many years
- Odourless

I ITHOFIN RESIN-EX

Special Stripper Gel. Product type: acid and solvent based cleaner

Removes all residues of epoxy-grout and similar blemishes such as resins, sealants, oil and grease deposits, paint (graffiti), plastic residues, etc. Suitable for ceramics and all rough natural and artificial stones.

- Gel-like, easy to use
- Does not leave streaks
- Highly active

SIZE CODE 1 L LFRESINEX01 5 L LFRESINEX05

COVERAGE STORAGE Approx. 5m2/L Closed, cool, up to 2 years



LITHOFIN **KF CEMENT RESIDUE REMOVER**

Product type: acidic cleaner

For interior and exterior use on ceramic surfaces such as fully vitrified tiles, guarry tiles, clay pavers, etc. Effortlessly removes cement and mortar residues, rust, lime, efflorescence and other hardened dirt layers.

- Concentrate very high yield
- Acts rapidly

• Hardly any odour

LITHOFIN **KF INTENSIVE CLEANER**

Product type: alkaline cleaner

For occasional thorough cleaning or for regular cleaning of floors subjected to heavy wear. Removes stubborn dirt, oil and grease. Suitable for all ceramic finishes.

- Concentrate high yield
- Extra strong
- Highly active

LITHOFIN **KF STAIN-STOP**

Product type: water based protective impregnator

For initial treatment of new floors with polished and sensitive surfaces. Prevents penetration of water and oil, protects against stains and dirt, and makes maintenance easier.

- Ideal for polished porcelain tiles
- Readv for use
- Odourless and invisible

LITHOFIN **KF VITRA-CLEAN**

SIZE 1L

Product type: mildly alkaline maintenance product

For continuous care of floors subjected to normal levels of wear. Cleans and maintains rough and polished surfaces streak-free making them even more attractive.

- Concentrate very high yield
- Also for polished surfaces
- Does not form layers

SIZE 1L 5L

COVERAGE Approx. 20 to 30 m2/L

SIZE

1L	
5L	

COVERAGE 10 to 15 m2/L as base cleaner, up to 100 m2 diluted

COVERAGE

COVERAGE Use one squirt (ca. 20 ml) per 10 L bucket of

water

SIZE

1L

Up to 50 m2/L





CLEANING, PROTECTING AND MAINTENANCE

CODE
LFKCRR01
LFKCRR05

STORAGE
Closed, cool,
up to 4 years



CODE
LFKINTCLN01
LFKINTCLN05

STORAGE Closed, cool, up to 5 years



CODE	
LFKSTNST01	

STORAGE Closed, cool, frostfree, up to 3 years



CODF LFKVITCLN01

STORAGE Closed, cool, up to 5 years



CLEANING, PROTECTING AND MAINTENANCE

LITHOFIN **KFACTIVE-CLEAN**

Product type: acidic cleaner

For the regular maintenance of bathrooms and toilet areas, promoting shine and hygienic cleanliness. Removes lime scale, rust, grease deposits and soap scum from baths and showers. Cleans chrome, ceramics, stainless steel etc. Not for acid-sensitive surfaces. • Concentrate - very high yield

Self-acting

CLEANING, PROTECTING

AND MAINTENANCE

Pleasant odour

LITHOFIN **KF MILDEW-AWAY**

Product type: chlorine based cleaner

Removes black spots, mould, fungus, algae and other organic discolorations in sanitary areas. Effective on tiles, silicon and cement joints, on plaster, stone and masonry.

- Ready-to-use
- Easy to use
- Acts rapidly

LITHOFIN **KF GROUT PROTECTOR**

Product type: water based protective impregnator

For grout in ceramic surfaces. Protects against greasy dirt and spots in kitchen and bathroom, and makes maintenance easier.

- Ready for use
- Invisible
- Long-term effect

1L	LFKACTCLN01
COVERAGE	STORAGE
Up to 100 m2/L	Closed, cool, up to 5 years

CODE

STORAGE

up to 1 year

LFKMILDAW0.5

Closed, cool, dark,

CODE

SIZE

SIZE

SIZE

ml

500 ml

COVERAGE

Up to 5 m2/500

500 ml

COVERAGE

Approx. 6 m2/L



9	
	Mildew-Away Mildew-away
	- 4: Bin - 4: Bin - 5: B
Lithol to	

CODE	
LFKGPR00.5	
	1
STORAGE	
Closed, cool,	-
frostfree, up to 2	
years	







and and a		
1 I		
->		

LITHOFIN **MN POWER-CLEAN**

Product type: alkaline cleaner

For thorough cleaning in case of severe general and greasy dirt, residues of floor care products, etc. For regular cleaning of high-traffic and outdoor areas such as shopping centres and food courts. For final cleaning of new surfaces at building sites.

- Concentrate high yield
- Highly effective
- Low on solvents and odour

LITHOFIN **MN BUILDERS' CLEAN**

Product type: acidic cleaner

Cleans Granite, Gneiss, Quartzite and other Natural and Engineered stones. Removes cement films, stubborn dirt residues, blooms, efflorescence, rust and rust discolorations. Also acts to prevent rust in hard stones containing iron. Not suitable for polished Marble, Limestone etc.

COVERAGE Approx. 30 to 50

• Concentrate - high yield

- Very strong Prevents rust

LITHOFIN **MN STAIN-STOP**

Product type: solvent based protective impregnator

This special impregnator optimally protects absorbent, stain-sensitive Natural and Engineered Stone surfaces against staining. Largely prevents penetration of oil, grease and water and makes further maintenance easier.

- Poses no health concerns once dry
- Ready to use
- Effective for many years

LITHOFIN

MN EASY-CARE

Product type: mildly alkaline maintenance product. Developed for continuous care of all types of stone surfaces. Cleans, enhances and maintains the surface in one action. Coarse and polished surfaces become increasingly beautiful and richer in colour and structure with regular use. Ideal for imoregnated or sealed surfaces.

• Concentrate - very high yield

- Does not form layers
- Non-bleaching

COVERAGE Use one squirt (ca. 20 ml) per 1 L bucket of water



10L COVERAGE

SIZE

1L

5L

500ml

Approx. 10 to 30 m2/L

SIZE 1L 5L 10L

m2/L

- SIZE 500ml 1L 5L
- 10L 20L

5L

- COVERAGE Approx. 7 to 15 m2/L
- SIZE 1L

CLEANING, PROTECTING AND MAINTENANCE

C	n	n	г.
۰.	U		F.
~	~	-	-

OODL
LFMPWRCLN0.5
LFMPWRCLN01
LFMPWRCLN05
LFMPWRCLN10

STORAGE
Closed, cool,
up to 3 years



CODE
LFMBLDCLN01
LFMBLDCLN05
LFMBLDCLN10

STORAGE
Closed, cool, up to 5 years



CODE	
LFMSTNST0.5	
LFMSTNST01	
LFMSTNST05	
LFMSTNST10	
LFMSTNST20	

STORAGE
Closed, cool, dry,
up to 3 years



CODE
LFMECARE01
LFMECARE05

	STORAGE
	Closed, cool, up to 5
0	years



SIZE

1L

SIZE

porcelain tiles

500 ml

CLEANING, PROTECTING AND MAINTENANCE

LITHOFIN **MN EASY-CLEAN**

Product type: mildly alkaline cleaner

For every-day cleaning of small stone surfaces such as kitchen benchtops, tabletops, bathroom vanity tops and wall tiles. Enhances the appearance of the stone and leaves a pleasant odour.

- Easy to polish
- High yield
- Ready-to-use

LITHOFIN ASR

Alkaline Special Remover. Product type: highly alkaline cleaner

For removing stubborn dirt deposits, grease, oil, wax, polymer layers, etc. Cleans and degreases ceramic tiles, stone, slabs, etc.

- Concentrate
- Highly effective

I ITHOFIN PRO

Professional Impregnator. Product type: water based protective impregnator

Protects all absorbent aurfaces. Prevents oil and water borne staining and reduces the growth of milde wand algae.

- Easy to apply
- Invisible but permanent effect

SIZE	CODE
1L	LFASR01
5L	LFASR05

COVERAGE STORAGE Up to 100 m2/L



5L	LFPR005
10L	LFPR010
20L	LFPR020
COVERAGE	STORAGE
Approx. 20 m ² /L	Closed, cool, dry,
on natural stone;	frost-free,
up to 40 m²/L on	approx. 12 months



GREEN BY LITHOFIN

DAILY CARE CLEANER

SIZE 1L

SIZE

1L

SIZE

500ml

A cleaner concentrate formulated with natural, plant-based ingredients. Suitable for all floors and leaves a streakfree finish. Green by Lithofin Daily Care Cleaner is suitable for use on all waterresistant floor surfaces including fine Stoneware, Ceramics, Glazed Tiles, Glass Mosaic as well as polished surfaces.

GREEN BY LITHOFIN DEEP CLEANER

An ideal product for powerful yet sustainable general cleaning, both indoors and outdoors. It can be used on all waterproof floor surfaces, stone and tiles for thorough cleaning. Suitable for removing of common dirts as well as greasy/oily staining. Also suitable for removing floor care residues and waterbased sealants.

GREEN BY LITHOFIN MULTI SURFACE CLEANER

Suitable for tiles, stone and all waterresistant surfaces throughout the house. Green by Lithofin Multi Surface Cleaner removes dirt and leaves a streakfree finish on natural stone surfaces, ceramics, plastic, high-gloss kitchen fronts, stainless steel, faucets, mirrors, glass, windshields, polished and unpolished surfaces.

GREEN BY LITHOFIN SANITARY CLEANER

Green by Lithofin Sanitary Cleaner is formulated with natural, organic acids and removes limescale stains, soap residues and lime deposits in the bathroom and shower. Green by Lithofin Sanitary Cleaner is ideal for cleaning acid-resistant surfaces such as shower frames and walls made of plastic, stainless steel and glass, for shower curtains, ceramic tiles and fittings.

CODE

LFMECLNS0.5 LFMECLNR01

CODE

Closed, cool, up to 5

years

CLEANING, PROTECTING AND MAINTENANCE

CODE	
LFGDCCLN01	



CODE
LFGDEEPCLN01







CODE LFGSANICLN0.5



StoneLux Advanced Repair Technology

RESTORATION



GRABO

The Grabo is a fully portable electric vacuum intended to lift, move and place everything from tiles and plasterboard to furniture and large appliances. Now with a suction gauge, The Grabo can hold up to 170kg and grab almost any surface with ease.

This vacuum lifter is a new and revolutionary way to lift and handle tiles, glass, concrete, plasterboard, furniture and much more. Rough, textured, dusty or wet, the Grabo grabs them all. With a 1.5 hour run time, the Grabo makes positioning stone and tiles easy.

The kit contains two batteries, a fabric bag and a replacement rubber seal



CODE HE.GRABO

GRABO PRO

The Grabo Pro Lifter is designed for professionals, with a fully portable electric vacuum intended to lift, move and place everything from tiles and plasterboard to furniture and large appliances.

- 2 hour charge for 1.5 hour work time.
- Up to 170kg of holding force.
- Rough, textured, dusty or wet Grabo grabs them all.
- The foam rubber vacuum seal is strong and resistant to loss of vacuum pressure.
- Slimline ergonomic handle for better grip and less fatigue when moving heavy objects.
- Use for all surface types, with automatic stop function at 11.6Psi, digital display and electronic pressure gauge.
- Automatic vacuum monitor, if pressure is lost the pump is automatically powered until vacuum pressure is restored.
- Designed for flooring professionals, glass installers, carpenters, movers, construction workers and more.

CODE

HE.GRABOPRO20

GRABO OTTOVAC

The Grabo Ottovac is designed for tilers and glaziers and is ideal for easy lifting of glass and small to medium tiles. Featuring an automatic sensor, suction indicator and an ergonomic design, the Ottovac is rated to lift 200kgs and runs off four AA batteries. When the vacuum level drops below -55 kPa, the pump will automatically restart, reaching the optimum pressure.

CODE

HE.OTTOVAC

STONELUX 2.0

RESTORATION

PROFESSIONAL KIT

The StoneLux 2.0 Professional kit contains all the components to effect fast high-guality repair work - from preparing and repairing the damage to finishing the repaired surface. The new comprehensive StoneLux 2.0 Professional kit is designed for repairs on a range of surfaces including Natural Stone, Quartz Composite, Stoneware, Ceramic and Tiles. The kit includes 10 repair colors, new ceramic repair pastes with 14 new colour shades for advanced surfaces, 2 new 30ml filler materials, 4 new fine grinding pads, 2 new primer pens, the Blue:Tron Powerlight and more.

As an optional extra, the Proxxon Fine Drill Grinder is used to prepare the surface for restoration. Includes the Proxxon Fine Drill Grinder and the Proxxon Fine Drill Charger. Fits into the StoneLux 2.0 Professional kit carry case.

OPTION	CODE
Professional Kit	SL2.PR0
Proxxon Fine Drill Grinder & Charger	SL2.RT



STONELUX 2.0 COMPACC KIT

The StoneLux 2.0 Compace kit contains all the basic components to start repair work - from preparing and repairing the damage to finishing the repaired surface. The new StoneLux 2.0 Compacc kit is designed for repairs on a range of surfaces including Natural Stone, Quartz Composite, Stoneware, Ceramic and Tiles.

The kit includes 4 repair colors, new ceramic repair pastes, 2 new fine grinding pads, 2 new primer pens, the Blue: Tron Powerlight and more.

CODE SL2.COM

STONELUX 2.0 CERAMICS KIT

The StoneLux 2.0 Ceramics kit is a supplementary kit specifically for the repair of quartz and ceramic surfaces. The new comprehensive StoneLux 2.0 Ceramic kit includes ceramic repair material that is designed to replicate the colours and textures found in Quartz and Ceramic surfaces.

The kit includes 13 new ceramic repair pastes, 1 sanitary ceramic paste, 1 filler material, 1 opaquer material, 1 separator pen for stamping technique and more.

CODE SL2.CER

THE COMPLETE RANGE OF STONELUX 2.0 REPLACEMENT COMPONENTS ARE AVAILABLE. CONTACT DIAREX FOR MORE INFORMATION.





PORTABLE **VACUUM LIFTER**

PORTABLE VACUUM LIFTER



DAREX®

HANDLING EQUIPMENT

FOLLOW US ON INSTAGRAM @DIAREXTOOLS

Follow our Instagram to stay up to date with the latest tools and equipment, as well as, tips and tricks for all your favourite tools.

Diarex sources the highest quality tools to make your job efficient and effective. Our social media accounts showcase all our reliable tools in action and gives you an insight into how our trusted tools perform.

Easy to use - suction is created by single handedly pulling the handles together. When released, suction is lost.

DIAREX **TWIN CUP VACUUM LIFTER**

Universal suction lifter for handling all kinds of loads. Please Note: Load Capacity 60kg vertically, 80kg horizontally.



HE.HG01L

CODE

CODE

HE.HG03



DIAREX **TRIPLE CUP VACUUM LIFTER**

Triangular formation allows even distribution of pressure to reduce strain

DIAREX **200MM VACUUM GRIPPER**

200mm single vacuum cup with 100kg (GS 65kg*) lifting capacity. Full metal handle with brass pump. Includes protective carry case and cover. Allmetal handle/pump assembly with flat pad for flat surfaces. Vacuum leakage indicator with suction guick release button.

*Safety factor is 2 under GS (German Safety) requirements.

DIAREX SINGLE-SIDED BUGGY

The Diarex Single Sided buggy allows the transportation of small pieces around the factory with easy thanks to it's light frame, front swivel wheels and handles.







HANDLING EQUIPMENT DIAREX SINGLE CUP LIFTER WITH LEVER ACTION

on material

CODF HE.HG01HP8





We also share handy tips, tricks and usage knowledge that will save you time and increase your productivity.

Follow our Instagram account today to stay up to date!



Discover more at diarex.com.au

W www.diarex.com.au

Melbourne 1 Friegher Road Moorabbin VIC 3189 03 8552 6000 E info@diarex.com.au

Sydney 20 Yulong Close Moorebank NSW 2170 02 9822 5155 f () diarextools

Gold Coast 26 Wrights Place Arundel QLD 4214 07 5537 3222 Adelaide 22 Richard Street Hindmarsh SA 5007 08 8340 2877



ABN 52104900647

Perth 231 Camboon Road Malaga WA 6090 08 6240 2200